

Technical data sheet

FLOROMIX Powder form prebiotic

Floromix is a complex of natural sugars based on phosphorous mannan-oligosaccharides, phosphorylated D-glucans, lignocellulose and biomass of microalgae *Spirulina Platensis*. This complex ensures the health of broiler chickens and increases their productivity. **Floromix** is effective against *E. coli*, *Salmonella spp.*, *Clostridium*, *Vibrio*, *Staphylococcus aureus*, *Pseudomonas spp.*, *Shigella spp.* and other pathogenic microorganisms. **Floromix** strengthens the immune system of animals, improves their preservation as well as feed conversion. **Floromix** is noted for its immunostimulatory and mycotoxin-absorbing effects.

Composition of **Floromix**: phosphorylated cell wall extract of *Saccharomices cerevisiae* yeast culture, beta1,3-beta1,6 D-glucans, manan-oligosaccharides and other fermented extracts, biomass of *Spirulina platensis* cyanobacteria (blue-green algae), lignocellulose, and wheat bran.

Chemical composition:

Phosphorylated mannan-oligosaccharides - 5.02%;

Phosphorylated β 1.3- β 1.6 D-Glucans - 2.38%;

Phycocyanin - 70 mg / 100g

Lignin - 8.1%;

Cellulose - 6.5%;

Hemicellulose - 0.8%;

Physical properties: dry, powdery, brownish flour

Biological properties:

It strengthens the immune system of animals;

It has a prebiotic effect;

It improves the digestibility and absorption of basic ration nutrients;

It inhibits the development of pathogenic microflora;

It optimizes the development of beneficial microflora in the gastrointestinal tract;

It reduces the effect of stress;

It increases productivity and preservation of animals.

It absorbs mycotoxins (aflatoxin, DON or vomitoxin, T-2, zearalenone, ochratoxin).

Use: The preparation is used in food.

Dosage: the recommended dose is 2.0 - 2.5 kg/t of compound feed.

Contraindications: none

Precautions: When handling this product, it is advisable to follow personal hygiene standards.

Withholding period: Without any restrictions.

Packaging: Bags of 20 kg.

Shelf life: 2 years from the date of the manufacture. Store in a cool, dry place, protected from the direct sunlight, in undamaged packaging of the manufacturer.